

This drawing, specifications, and concepts contained here in are the sole property of Dart Aerospace, and may not be reproduced or used in any fashion without the prior written permission of Dart Aerospace Eugene, OR.


| revisions | | | | | | | | |
|-----------|-----|--------------------------|------|---------|----------|--|--|--|
| REV | ECR | DESCRIPTION | DATE | INITIAL | APPROVED | | | |
| 1 | | RELEASED FOR PRODUCTION. | | | JAG | | | |



NOTES: 1. REF. AIRBUS T/N: 117-12010W28. 2. PART OF KIT: RBE117-12010W62.

| | | | | | | | | | | | DA | ROSPAGE | , | |
|-------------|-----------------|-----|----------|-------|---------------|------------------|--------------------------------------|-----|----------------------------------|--------|--------|--|---|---|
| | | | | | | | | | MOUNT | | | | | |
| | | | | | | | | | DWG NO. | RI | 3E117- | 12010W | /28 RE | 1 |
| | | | | | | | | | MAT'L HEAT TREAT FINISH | | | .xxx ± .005 | | |
| | | | | | | | | | SPEC | | | .XX ± .01 .X ± .1 1. BREAK AL | ANGLES ±.5° SURFACES = 125/ L SHARP EDGES | / |
| ASSY QTY | ASSY QTY | B/O | Part # | UNIT | Description | Material | B/O INFORMATION OR SPECIFICATIONS | PG. | DRAWN BY: CHECKED: | DUERF | | | NAL LIMITS APPLY | |
| QTY | SIA SIA PAS | 5,0 | T Gil 11 | # QTY | Description | Marena | B) O INI ORMATION OR 31 ECITICATIONS | 1 1 | OPPS APPR: | MACKO | | AFTER PLATING 3. INTERPRET DIM AND TOL PER ASME Y14.5M-2009 | | |
| | Χ | | -1 | 1 | BASE WELDMENT | | | 2 | QA APPR: | LINDSA | | USED ON MODEL | | |
| | | | -3 | 1 | BASE | A36/1018/1020 HR | | | APPROVED: | GILBER | ₹T | | H145 | |
| | | | -5 | 2 | HANDLE | 1018/1020 CR | | | SCALE | 1:2 | DATE 7 | /8/2016 | SHEET 1 OF 4 | ŀ |






INITIAL APPROVED


DATE


REVISIONS




This drawing, specifications, and concepts contained here in are the sole property of Dart Aerospace, and may not be reproduced or used in any fashion without the prior written permission of Dart Aerospace Eugene, OR. REVISIONS

REV ECR DESCRIPTION DATE INITIAL APPROVED








| DART | | | | | | | | | | |
|---|----------------------------|--------|---|--------------|--|--|--|--|--|--|
| TITLE | MOUNT | | | | | | | | | |
| DWG NO. | 28-3 REV 1 | | | | | | | | | |
| MAT'L A36/10 HEAT RC 28 TREAT RC 28 FINISH SEE -1 | | | UNLESS OTHERWISE SPECIFIED DIMENSIONS ARE IN INCHES .XXX ± .010 FRACTIONS ± 1/8 .XX ± .03 ANGLES ±1° .X ± .1 SURFACES = 125/ 1. BREAK ALL SHARP EDGES .015 x 45° OR .015R -2. DIMENSIONAL LIMITS APPLY AFTER PLATING 3. INTERRET DIM AND TOL PER ASME Y14.5M-2009 | | | | | | | |
| DRAWN BY: CHECKED: OPPS APPR: | DUERFE MACKOV ANDERS | /JAK | | | | | | | | |
| QA APPR: APPROVED: | LINDSAY GILBERT | | USED ON MODEL H145 | | | | | | | |
| SCALE | 1:4 | DATE 7 | 7/8/2016 | SHEET 3 OF 4 | | | | | | |

(-3)

BASE

REVISIONS This drawing, specifications, and concepts contained here in are the sole property of Dart Aerospace, and may not be reproduced or used in any fashion without the prior written permission of Dart Aerospace Eugene, OR. DESCRIPTION INITIAL APPROVED REV ECR DATE 2X 56° 4.00 $\emptyset.38$ 2X R .50 SECTION A-A SCALE 1:1 TITLE MOUNT DWG NO.





HANDLE